

**FOFO**<sup>®</sup>



[www.fofomedical.com](http://www.fofomedical.com)

## Foshan Hongfeng Co.,Ltd

**Address:** No.4 Leqiang Road ,Leping Sanshui,Foshan,528100,GuangDong,China

**Tel:** 0757-88791710 ext 888

0592-2097262

**Email:** [fofo@fofomedical.com](mailto:fofo@fofomedical.com)

**Mob:** +86 13055506651

[www.fofomedical.com](http://www.fofomedical.com)

**Professional Manufacturer**

**Medical Air Mattresses / Nebulizers /  
Air Compression Therapy Systems**



TO KNOW MORE  
ABOUT US

YouTube

**Foshan Hongfeng Co., Ltd**



## COMPANY INTRODUCTION

Foshan HongFeng Co., Ltd is the joint venture with famous wheelchair manufacturer Guangdong Kaiyang . There are over 300 workers in the group. Foshan HongFeng has over 20 years of experience in making high-frequency products. Our mattress high frequency machines are 225KW, and are the most technologically advanced, energy-efficient and low-carbon machines in Mainland China. We specialize in the design and manufacture of medical air mattresses, compressor nebulizers, oxygen generator, wheelchair cushions, water beds, air compression therapy system, suction machines, BP monitors and other rehabilitation products.

Our products have been approved by FDA, 510K, ISO and CE. The sales team's languages include English, Russian, Spanish, Portuguese, and Japanese. We have exported to the USA, Europe, Asia, the Middle East, and many other countries in the world. We have earned a great reputation in our industry amongst our customers and peers. We sincerely hope we can build a stable business relationship with you and welcome you to visit our factory. We guarantee high-quality products, competitive prices, prompt delivery schedules and reliable services.



CE FDA ISO13485



**FOFO**



<b>TOP 1</b> Medical air mattress & Air compression leg massager up to Alibaba	<b>40+</b> Customers in 40+ countries worldwide	<b>20 years</b> of high-quality production experience	<b>\$30,000,000</b> USD in sales by 2022	<b>22,000</b> square meters of production area	<b>1,200,000</b> Exporting 1.2 million pieces of air mattresses in 2022
---	--	--	---	---	--




## Contents

<b>Bubble Air Mattress</b>	Page 01-04
<b>Tubular Air Mattress</b>	Page 05-14
<b>Cushions &amp; Accessories</b>	Page 15-16
<b>Water Mattress</b>	Page 17-18
<b>Compressor Nebulizer</b>	Page 19-30
<b>Phlegm Suction Machine</b>	Page 31-32
<b>Oxygen Concentrator</b>	Page 33-34
<b>Air Compression Therapy System</b>	Page 35-44
<b>Pressure Monitor</b>	Page 45-46
<b>Pressure Mattress</b>	Page 47-48



# 2.5'' Bubble Medical Air Mattress

Low Noise pump with 18 Month Warranty  
 SGS Approved  
 Fire retardant Taiwan Nanya PVC



## Specifications:

Pump	Pad
Item: HF62012	Item: HF6001
Power supply: 110V/220V,50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H) (Standard Size) 190cm(L) X 82cm(W) X 7.0cm(H) (Economic Size)
Air output: 5-7 liter/min.	130 bubbles with end flaps
Pressure range: 50mmHg - 120 mmHg	Accessories: repair kit, hose
Cycle time: 12 min.	Material: medical class Taiwan Nanya PVC K80
Power consumption: 7W	PVC thickness: 0.3 mm
Fuse: 1A	Color: beige, blue, dark blue
Size: 23.5(L) x 13(W) x 9.5 (H)cm    Weight: 0.8 kg	Mattress weight: 1.8-2.1kg    Weight Capacity: 120-130kg
Packing: 20GP 3228pcs/ 40GP 6400pcs/ 40HQ 7722pcs	



## 2.5" Bubble Ventilating Medical Air Mattress

Aluminum pump AB alternating 2 years warranty  
CPC connector/Outside fuse/Air Filter included



### Specifications:

Pump	Pad
Item: HF601	Item: HF6001V
Power supply: 110V/220V,50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H)
Air output: 6-8 liter/min.	130 bubble with end flaps;Ventilating
Pressure range: 50mmHg - 120 mmHg	Accessories: repair kit, 1.5M hose
Cycle time: 12 min.	Material: medical class Taiwan Nanya PVC K80
Power consumption: 7W	PVC thickness: 0.3 mm
Fuse: 1A	Color: beige, blue, dark blue
Size: 27.5(L) x 13.5(W) x 9 (H)cm    Weight: 1.3 kg	Mattress weight: 1.8-2.1kg    Weight Capacity: 120-130kg
Packing: 20GP 2940pcs/ 40GP 5880pcs/ 40HQ 7114pcs	

## Aluminum Pump Compressor




Good ABS pump case

Air filter can be changed



External fuse is easy to change

CPC connector can hold air inside when there is no power



The Aluminum pump compressor has excellent heat control and is extremely silent when running, which extends the lifetime of the pump

## One-Piece Tubular Bedsore Prevention Mattress

Low noise pump with 18 month warranty  
Fire retardant Taiwan Nanya PVC

**HF6003C**



Hose



Ventilating


### Specifications:

Pump	Pad
Item: HF62012	Item: HF6003C
Power supply: 110V/220V,50-60Hz	Size: 240cm(L) x 97cm(W)
Air output: 5-7 liter/min.	23 air cells with end flaps;Ventilating
Pressure range: 50mmHg - 120 mmHg	Accessories: repair kit, hose
Cycle time: 12 min.	Material: medical class Taiwan Nanya PVC
Power consumption: 7W	PVC thickness: 0.32mm
Fuse: 1A	Color: dark blue
Size: 23.5(L) x 13(W) x 9.5 (H)cm    Weight: 0.8 kg	Mattress weight: 1.8-2.1kg    Weight Capacity: 130-140kg
Packing:20GP 2940pcs/40GP 5880pcs/40HQ 7114PCS	

## One-Piece Tubular Bedsore Prevention Mattress

Low noise pump with 18 month warranty  
Fire retardant Taiwan Nanya PVC


**HF6003**



Ventilating



With Pump



Ventilating



Hose

**HF6003B**



## Middle Risk Class II Tubular Medical Air Mattress

Top Quality Aluminum Pump 2 Years Warranty  
CPC connector/External fuse /AB or ABC alternating optional




### HF6002 Series Mattress Specs:

Item	Size/Cells	Material	CPR	Cover	Flaps	Repair Kit	Spare cell	Ventilation	Pump
HF6002	200*90*11.5cm/18cells	Nylon PVC/TPU	✓	✓	✓	✓	✓	x	Aluminum
HF6002V	200*90*11.5cm/18cells	Nylon PVC/TPU	✓	✓	✓	✓	✓	✓	Aluminum
HF6002-17	190*85cm*11.5cm/17cells	Nylon PVC	✓	✓	✓	✓	✓	x	Normal
HF6002-24	190*85cm*9.5cm/24cells	Nylon PVC	✓	✓	✓	✓	✓	✓	Normal
HF6002-17P	190*85cm*11.5cm/17cells	PVC	✓	✓	✓	✓	✓	✓	Normal
HF6002-22P	186*80*7.5cm/22cells	PVC	x	x	x	✓	x	x	Normal

## Tubular Air Mattress with Urine Door

Low Noise Alternating Air Pump 18 Month Warranty




### HF6002U Series Mattress Specs:

Item	Size/Cells	Material	CPR	Cover	Flaps	Repair Kit	Spare cell	Ventilation	Pump
HF6002U	200*90*11.5cm/18cells	Nylon PVC	✓	✓	✓	✓	✓	x	Aluminum
HF6002-24	186*80*7.5cm /24cells	Nylon PVC	✓	✓	✓	✓	✓	✓	Normal
HF6002U-17P	190*85cm*11.5cm/17cells	PVC	✓	✓	✓	✓	✓	✓	Normal
HF6002U-22P	186*80*7.5cm/22cells	PVC	x	x	x	✓	x	x	Normal

## Hospital Class III 5" Tubular Air Mattress

Top quality Aluminum Pump System /Static mode/  
CPC connector/External fuse  
Air Filter included/AB or ABC alternating optional



### Specifications:

Pump	Pad
Item: HF608	Item: HF6005
Power supply: 110V/220V/50-60Hz	Standard Size: 80 "(L) x 32-36 "(W)
Air output: 6-8 liter/min.	4.5" 18 cells; 200X90X11.5CM
Pressure range: 50mmHg - 120 mmHg	Top cover: nylon PU/strength
Cycle time: 12 min.	Air cells: nylon/ PVC/TPU
Power consumption: 7W Fuse: 1A	Bottom: tarpaulin/nylon PU
Size: 27.5 (L) x 13.5 (W) x 9 (H) cm	Mattress weight : 5.5-6.5kg
Weight: 1.6 kg	Weight capacity: 135-145kg

## High Risk Care

Stage V mattress replacement 8"  
cell on cell mattress system



To Know More  
About US

YouTube



## Hospital 5" + 3" Foam Base Mattress Replacement

Digital Aluminum Pump System/Auto pressure control,  
100% waterproof seam sealed stretch PU cover



Item: HF6006

- 5" Air cells with 3" foam pocket, can insert the foam inside
- Mattress Size: 80(L) x 36(W) x 5" (H) cell + 3" foam 200\*90\*20.5cm
- Material: Taiwan Nanya nylon TPU air cells; welded stretch PU cover; zipper around; tarpaulin/nylon PU bottom;
- Maximum weight limit: 165kg
- Advantage: Waterproof air mattress  
Medical class TPU material  
pillow function  
bottom foam replacement  
ventilation option  
Easy turn CPR for rapid deflation  
Visual and audible alarms for patient safety

Item: HF609

- Pump Size: 27.5(L) x 13.5(W) x 9(H) cm
- Function: static with auto-return, sitting, alarm, lock
- Air output: 6-8 liter/min
- Pressure range: 50mmHg-120mmHg
- Cycle time: 12 min
- Power consumption: 7W Fuse: 1A
- AB or ABC alternating option
- With CPC connector
- External, easy replacement pump air filters and fuse
- Automatically adjusts to the patient's weight
- Silent aluminum compressor pump at optimum support pressures

## Hospital ICU 8" Low Air Loss Air Mattress Replacement

Digital Aluminum pump system/Auto pressure control,  
Static mode, Sitting mode, Alarm/Lock



Bariatric option: 42"~48"

Item: HF6008

- Mattress Size: 80(L) x 32~48 (W) x 8(H) 200\*90\*20.5cm
- Maximum weight limit: 200kg
- One in two cell-cycle design giving optimum therapy
- Taiwan nylon TPU air cell construction, pillow function, ventilation option
- Welded, zipper around, waterproof and vapour permeable stretch PU cover
- Material: nylon TPU for air cells, stretch PU cover, bottom tarpaulin/nylon PU
- Easy turn CPR for rapid deflation
- External, easy replacement pump filters
- AB or ABC alternating option

Item: HF806

- Pump Size: 34.5(L) x 19(W) x 14.5(H) cm
- Function: static with auto-return, sitting, alarm, lock
- Optional 10/15/20/25 mins cycle time
- Visual and audible alarms for patient safety
- Static function with auto-return
- With CPC connector
- Silent aluminum compressor pump at optimum support pressures
- Automatically adjusts to the patient's weight with seated and static functions included



# **“Patented” Turning Mattress**

## **for Anti-Bed Sore & Pressure Ulcer Prevention**



## **Rotation mattress for disable patients**



**HF808**



### **Features and Benefits**


- Tubular made of TPU film/Nylon with TPU coating
- AB alternative for ulcer prevention
- Welded, seam sealed, zipper around waterproof and vapour permeable stretch PU cover
- Easy turn CPR for rapid deflation
- Silent running pump at optimum support pressures
- Optional 12/18/24 mins cycle time
- Visual and audible alarms for patient safety
- With remote control
- External, Easy-to-replace pump filters with static function and auto-return
- Automatically adjusts to the patients weight with head up, foot up, left rotate, and right rotate functions

Item:HF808

- Pump Size:28(L)\*10(W)\*16.5(H)cm
- Minimum Weight Limit:No Minimum
- Maximum Weight Limit:135-145kg
- Mattress Size:200\*90\*11.5-40cm
- Material:TPU film / Nylon TPU for air cells,Stretch PU
- Cover,Bottom Tarpaulin/Nylon PU



# Portable Dynamic APP Cushion



**HF2002**



**A**  
Plug-in



**B**  
Rechargeable

Provides extra mobility for 12 hours per day

**Specifications:**

- Dimensions: 43X43X10cm
- Static/Alternating mode
- Weight capacity: 120kg
- Cushion - TPU, cover - stretch PU
- Low pressure and battery alarm
- Weight: 2kg
- 3 cycle times
- 5 comfort settings



**HF2006**

**Seat Cushion**


- Material: 0.4mm medical class PVC fabric
- Size: 45\*45cm
- Packing info: 54x29x22cm, 15.2KG, 100PCS/CTN



**HF2005**

**Wound Pad**

- Material: PVC flocking
- Size: diameter 45cm/40cm
- Packing info: 50\*30\*40cm/100pcs



**HF6200**



Big Valve



Hand Pump

**Static Air Mattress with Hand Pump**

- Big Size: 222\*100cm
- Small Size: 222\*89cm

# Bedsore prevention cushion



**HF2007/2008**

Model: HF2007(air)  
HF2008(foam self-inflating)  
Size: 43x43x 5cm  
Material: TPU/PVC  
Packing: 46.5x52.5x45.8cm, 100PCS/CTN  
Colorbox: 44x25x8.5cm



- Composed of air cells; can adjust to body shape according to the sitting posture.
- Keeps the hips at a sufficient distance from the bottom of the cushion to protect the skin and soft tissues.
- Improves the air circulation and better disperses heat.

# The static bedsore prevention mattress



**HF2009**

Model: HF2009  
Size: 205x90x12cm  
Material: TPU/PVC

## Inflatable Bath/Hair Basin

### Inflatable Bath Basin

- Material: PVC 0.4mm
- Accessories: foot pump, water hose
- Size: 190\*90\*22CM

**HF2101**



Shower bag optional

### Inflatable Hair Washing Basin

- Material: PVC 0.4mm
- Accessories: pump, water hose, clips, color box
- Size: 23\*62\*53cm
- Color box size: 22\*18\*11cm


**HF2100**



## Medical Water Mattress

### HF6100

- Air frame +3 independent baffles
- Material: PVC 0.40 mm thickness +K75
- Size of outer frame : 200 x 93 x 11.5cm
- Size of each element : 69 x 60 x 11.5cm
- Weight : 3.5 kg
- Packing : 1 set in PE bags, 4 sets in outer carton
- Accessory: Hand pump, Water Hose, Repair kit



### HF6101



- Material: PVC
- One piece type
- Color Box Size: 33X22X7CM
- Packing size: 34X31X40CM
- QTY/CTN: 6 PCS PER CTN
- Size: 180\*86\*12CM



# Compressor Nebulizers

- 26 mm stamping a with a max temperature of about 180 C, which allows for 2000 hours of non-stop runtime without burning.
- 3 bearings in motor and metallic thermal protector (not disposable plastic type )
- fire retardant material

## BC68002

Durable Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
170x118x275	610x175x570	10	16/17

20GP	40HQ	Product weight	Product size
4700PCS	11200PCS	1.51KG	248/158/99

## BC68002-C

Compartment Compressor Nebulizer




### Package content

Box Size (mm)	Carton Size(mm)	PCS/CTN	KG/CTN
200x110x340	460x205x700	8	12.8/13.6

20GP	40HQ	Product weight	Product size
3800PCS	9120PCS	1.45KG	289/180/107

## BC68002-D

Compartment Compressor Nebulizer



BC68002 series is a high-performance compressor nebulizer, with a low noise level and easy to use. The high performance compressor is suitable for continuous use and has a 2000+ hours non-stop service life.

### TECHNICAL FEATURES

- Input: 220V/50HZ; 120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6-8ml
- Particle Size: Respirable Fraction 0.5 to 5µm 0.5µm80%
- MMAD: 3-5 µm
- Average Nebulization Rate: Above 0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30-45 Psi
- Operation Pressure Range: 12-14.5 Psi(0.85-1.1 bar)
- Liter Flow Range: 8~ 10 lpm

Accessories: Nebulizer cup, adult mask, child mask, inhalation mouth-piece, inhalation tube, air filter.

### Package content

Box Size (mm)	Carton Size(mm)	PCS/CTN	KG/CTN
185x118x300	610x190x620	10	16.1/17.1

20GP	40HQ	Product weight	Product size
3900PCS	9500PCS	1.47KG	282/172/106



# Compact Nebulizers

## BC6403-B

Handle Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
175x132x270	680x180x560	10	14.5/15.5

20GP	40HQ	Product weight	Product size
4100PCS	10000PCS	1.29KG	154/112/202

## BC6403

Handle Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
295x140x182	575x300x385	8	18/19.2

20GP	40HQ	Product weight	Product size
3440PCS	8240PCS	1.34KG	207/170/102

## BC6403-D

Handle Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
217x119x258	615x222x536	10	14.1/15

20GP	40HQ	Product weight	Product size
3900PCS	9300PCS	1.27KG	188/107/187

## BC68001

Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
170x115x235	595x175x490	10	14/15

20GP	40HQ	Product weight	Product size
5500PCS	13300PCS	1.25KG	155/147/105

## BC68001-C

Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
175x175x170	545x190x520	9	13/14

20GP	40HQ	Product weight	Product size
4116PCS	10160PCS	1.32KG	172/162/98

## BC68001-B


Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
175x175x170	540x180x535	9	13.1/14

20GP	40HQ	Product weight	Product size
4860PCS	11790PCS	1.30KG	160/160/101



BC68001 series are a high-performance compressor nebulizer, with a low noise level and easy to use. The high performance compressor is suitable for continuous use and has a 2000+ hours non-stop service life.

### TECHNICAL FEATURES

- Input: 220V/50HZ; 120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6-8ml
- Particle Size: Respirable Fraction 0.5 to 5µm 0.5µm80%
- MMAD: 3-5µm
- Average Nebulization Rate: Above 0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30-45 Psi
- Operation Pressure Range: 12-14.5 Psi(0.85-1.1 bar)
- Liter Flow Range: 8~ 10 lpm

Accessories: Nebulizer cup, adult mask, child mask, inhalation mouth-piece, inhalation tube, air filter.

## BC68001-E

Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
170x115x235	595x175x490	10	14/15

20GP	40HQ	Product weight	Product size
5500PCS	13300PCS	1.09KG	155/130/86

## BC68005

Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
170x115x270	595x175x565	10	14/15

20GP	40HQ	Product weight	Product size
4800PCS	11600PCS	1.25KG	196/160/98

## BC68006


Compressor Nebulizer



### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
170x115x235	595x175x490	10	13.5/14.5

20GP	40HQ	Product weight	Product size
4680PCS	11990PCS	1.19KG	140/136/97



BC68006 and BC68005 are high-performance compressor nebulizers, with a low noise level and easy to use. The high performance compressor is suitable for continuous use and has a 2000+ hours non-stop service life.

### TECHNICAL FEATURES

- Input: □220V/50HZ □120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6-8ml
- Particle Size: Respirable Fraction 0.5 to 5µm 0.5µm80%
- MMAD: 3-5µm
- Average Nebulization Rate: Above 0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30-45 Psi
- Operation Pressure Range: 12-14.5 Psi(0.85-1.1 bar)
- Liter Flow Range: 8~ 10 lpm
- Operation Temperature Range: 10°C--40°C (50°F--104°F)
- Operation Humidity Range: 10 to 95% RH

Accessories: Nebulizer cup, adult mask, child mask, inhalation mouth-piece, inhalation tube, air filter.

## Pediatric Nebulizers

## BC68005-FS

Fish Compressor Nebulizer



A vivid and colourful fish moulding makes for an eye-catching nebulizer in any pharmacy. Durable and strong shell passed restric drop tests

### TECHNICAL FEATURES

- Input: 220V/50HZ; 120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6ml
- Particle Size: Respirable Fraction 0.5 to 5µm 0.5µm80%
- MMAD: 3.0µm
- Average Nebulization Rate: Above 0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30-45 Psi
- Operation Pressure Range: 12-14.5 Psi(0.85-1.1 bar)
- Liter Flow Range: 8~ 10 lpm

Accessories: Nebulizer cup, adult mask, child mask, inhalation mouth-piece, inhalation tube, air filter.


### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
275x160x180	660x280x380	8	12.1/12.8

20GP	40HQ	Product weight	Product size
3200PCS	7760PCS	1.33KG	247/132/169

## BC68005-BK

Basketball Compressor Nebulizer



The puppy nebulizer is loved by children.

Give a hug to a puppy nebulizer when atomizing, and it can relieve children's anxiety, tension and irritability during nebulizing.

### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
237x139x245	575x242x515	8	13.5/14.5

20GP	40HQ
3152PCS	7600PCS

## BC68005-FT

Football Compressor Nebulizer



All designs can take off and become best-sellers.

New creative moulds can be made by our designers by your request.

### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
200x200x200	615x205x630	9	13.5/14.4

20GP	40HQ
3195PCS	7740PCS

Product weight	Product size
1.33KG	175/175/140


## BC68005-BR1

Bear Compressor Nebulizer



## BC68005-TG

Tiger Compressor Nebulizer



Various design options, such as the ones seen above, and others available to request (animals like tigers, koalas, kittens).

### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
180x153x265	630x185x550	8	12.1/13

20GP	40HQ	Product weight	Product size
3520PCS	8480PCS	1.36KG	166/140/213

## BC68005-PG

Piggy Compressor Nebulizer



## BC68005-PD

Panda Compressor Nebulizer



### TECHNICAL FEATURES

- Input: 220V/50HZ; 120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6ml
- Particle Size: Respirable Fraction 0.5 to 5µm 0.5µm80%
- MMAD: 3.0µm
- Average Nebulization Rate: ≥0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30 ~ 45 Psi
- Operation Pressure Range: 12 ~ 14.5 Psi(0.85 ~ 1.1 bar)
- Liter Flow Range: 8 ~ 10 lpm

Accessories: Nebulizer cup, adult mask, child mask, inhalation mouth-piece, inhalation tube, air filter.



## DC Compressor Nebulizers

**QUIET**  
Working noise is less than 45dB



### BC68006-DC



#### TECHNICAL FEATURES


- Power Supply: Adapter(6V, 2A)
- Rated Power: ≤ 10W
- MMAD: approx. 3.5 μm
- FPF: approx. 80%
- Operation Pressure Range: 12 ~ 14.5 Psi(0.85 ~ 1.1 bar)
- Nebulizing Rate: 0.20 ml/min
- Nebulizing Head Life: 180 hours
- Max./Min. Liquid Volume: 8 ml/0.5 ml
- Device Net Weight: 157 g
- Device Size: 106 mm x 79 mm x 41 mm

Portable



### BC68005-BR2

Pediatric Nebulizers



Cute designs for pediatric nebulizers. We have many innovation moulds ODM/OEM welcome  
The bear design is compact and portable, very popular in the American and European markets.  
One of Amazon's hot sale items.  
Carry bag is optional.

#### TECHNICAL FEATURES

- Input: □220V/50HZ □120V/60HZ
- Power Consumption: 65W
- Medication Capacity: 6ml
- Particle Size: Respirable Fraction 0.5 to 5μm 0.5μm80%
- MMAD: 3.0μm
- Average Nebulization Rate: Above 0.3ml/min.
- Noise Level: Below 60 dBA
- Compressor Pressure Range: 30-45 Psi
- Operation Pressure Range: 12-14.5 Psi(0.85-1.1 bar)
- Liter Flow Range: 8~ 10 lpm
- Operation Temperature Range: 10°C--40°C (50°F--104°F)
- Operation Humidity Range: 10 to 95% RH

Accessories: Nebulizer cup, adult mask, Pediatric mask mouth-piece, Tuble, air filter.

#### Package content

Box Size (mm)	Carton Size(mm)	PCS/CTN	KG/CTN
205x135x250	560x215x525	8	12/13

20GP	40HQ	Product weight	Product size
3520PCS	8480PCS	1.42KG	186/125/189



## Nebulizer Kits

Highly Effective Nebulizer Cup

Able to treat disease in different sections of the respiratory tracts.

### TECHNICAL FEATURES

	KIT A	KIT B
MMAD(um)	3.0-5.0	2.5-4.0
Max. Fill Volume(ml)	8	6
PCS per Kit	5	6

### Kit A




20GP/40HQ	Carton size(mm)	PCS/CTN	KG/CTN
35500/86000	580x380x360	100	10.0/11.0

### Kit B



20GP/40HQ	Carton size(mm)	PCS/CTN	KG/CTN
26000/62200	600x400x380	100	10.0/11.7



Adjustable particle size  
Adjustable air flow speed

### DC Nebulizer

It is the smallest, lightest, most convenient tabletop nebulizer.  
Capable for on the go use via DC car adapter (optional)



Soundless Operation



Portable Size



Mini USB 5V, 2A



Family friendly

Mouth-Piece, Nebulizer Cup, Tube, Adult and Pediatric Mask and Air filters, USB cable.

### Package content

Box size (mm)	Carton size(mm)	PCS/CTN	KG/CTN
150x123x95	495x256x320	20	7.3/7.8

Product weight	Product size
0.154KG	107/79/41

## Compressor (Nebulizer / Suction)

Highly Effective Nebulizer Pump with 3 Bearings



### Compressor Motor





### SPECIFICATIONS

- Rated Current :  $\leq 0.7A$  (when load)
- Rated Power :  $\leq 80W$  (when load)
- NO-load Air Flow :  $\geq 8 L/min$
- Load Air Flow : when 0.1 MPa (14.5 PSI)  $\geq 5L/min$
- Max Pressure : 35 PSI
- Noise :  $\leq 60 dB$



### Package content

Qty/Pallet	Pallet Size(mm)	N.W./G.W.	20GP	40HQ	Product weight
704pcs	1030X990X1030	630/650Kg	18240PCS	28160PCS	0.88KG



# Phlegm Suction Machine



## Accessories

Negative Pressure Catheter



Air Filter



Sputum Suction Tube



Fuse Wire



## FO9001-A

Portable Suction Machine



## FO9001-B

Portable Suction Machine



## FO9001-C

Durable Suction Machine



## SPECIFICATIONS

- Rated Voltage: AC220V±10% / 50Hz±2%
- Input Power : ≤90W
- Noise : 65 dB(A)
- Max Negative Pressure Value : ≥ 0.075MPa
- Pumping Rate : 15L/min
- Jug Volume : 1000 ml
- Continuous Working Time : within 30 min
- Rest Intervals : ≥ 30 min
- Portable design

## Package content

	Box Size (mm)	Carton Size(mm)	PCS/CTN	KG/CTN	20GP	40HQ
A	360x190x270	395x372x565	4	14.3/15.1	1360PCS	3300PCS
B	385x205x300	425x397x620	4	14.5/15.5	1080PCS	2600PCS
C	350x260x290	385x520x605	4	16.5/17.5	900PCS	2156PCS

# Oxygen Concentrator



## KYZ2002-5L

5L Oxygen Concentrator



### SPECIFICATIONS

- Max Flow : 5L/min
- Oxygen Density : 93%±3% [V/V]
- Running Noise : ≤ 53 dB [A]
- Power Consumption : ≤ 420 W
- Dimension : 36\*34\*59cm ( wheels 5cm)
- N.W. : 15KG

### Package content

Carton size(mm)	Pcs/Ctn	Kgs/Ctn	20GP/40HQ
390x390x690	1	15.2/17.1	270/650

## PH-Y05AW

5L Oxygen Generator



### SPECIFICATIONS

- Max Flow : 5L/min
- Oxygen Density : 93%±3% [V/V]
- Running Noise : ≤ 53 dB [A]
- Power Consumption : ≤ 420 W
- Dimension : 30\*40\*54cm

### Package content

Carton size(mm)	Pcs/Ctn	Kgs/Ctn	20GP/40HQ
470x410x690	1	17/18.5	210/510



Imported  
Molecular Sieve



Oil Free  
Compressor



Smart Alarm  
Function



High Purity  
Oxygen ≥90%



Three-level  
Oxygen Filter



Superior Oxygen  
Atomizing technology



Optional Oxygen  
Purity Alarm

## KYZ2002-10L

10L Oxygen Concentrator



### SPECIFICATIONS

- Max Flow : 10L/min
- Oxygen Density : 93%±3% [V/V]
- Running Noise : ≤60dB [A]
- Power Consumption : ≤800w
- Dimension : 39.6\*35.9\*61cm

### Package content

Box size ( mm)	Pcs/Ctn	Kgs/Ctn	20GP/40HQ
460*480*700	1	25.3/30	180/438

## PH-Y03CW

3L Oxygen Generator



### SPECIFICATIONS

- Max Flow : 3L/min
- Oxygen Density: ≥90% [V/V]
- Running Noise : ≤58dB [A]
- Power Consumption : ≤280w
- Dimension : 28\*47\*55.5cm

### Package content

Box size ( mm)	Pcs/Ctn	Kgs/Ctn	20GP/40HQ
525*345*655	1	25/29	230/510

# Air Compression Therapy System



Train Harder, Recover Faster, Push Further.  
Let FOFO help you achieve your sport goals.



## Application field


- Lymph edema related therapy
- Rheumatic osteoarthritis
- Claudication
- Muscle atrophy
- Slimming&contouring
- Anti DVT
- Pressure therapy
- Blood flow stimulation and poor blood circulation improving
- Diabetic foot
- Detoxication, anti aging
- Post surgery recover
- Sport injury recovery

# Air Compression Therapy System Cuffs

Sleeve	Description	Size
Leg	Leg cuff M	94*60cm
	Leg cuff L	100*70cm
	Leg cuff XL	110*70cm OverLapping
	Leg cuff XXXL	125*76cm OverLapping
Arm	Arm cuff M	87*51cm
	Arm cuff L	90*60cm OverLapping
Waist	Waist cuff M	120*37cm
	Waist cuff L	130*37cm OverLapping
Trousers	Short pants (4,6,8 chambers)	80*76cm
	Long pants (6,8 chambers)	142*85cm
Vest/cloth	Vest (6,8 chambers)	78*72cm
Jacket	Double arm/shoulder	133*37 (pair)



## 6 Massage Modes



# Air Compression Therapy System/Pressure Therapy

4/6/8 Chamber Available, 6 Massage Modes, Skip Function  
Less Pain From Muscle Soreness

**FO3001**  
(Manual)



  
Waist

  
Easy operation

  
Arm

  
Effective lymphatic edema

**Manual device**


**Specifications:**

- Device size: 24cm\*20cm\*11cm
- Massage mode: A
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins/always on
- Power consumption: 65W

A Massage Modes




Remote control distance >5 meters



**FO3001**  
(Digital)



  
Use durable domestic air motors

  
6 Pressure modes (Circulation/Massage)

**Specifications:**

- Device size: 24cm\*20.5cm\*20cm
- Massage mode: 6 modes
- Pressure range: 30 ~ 250 mmHg
- Treatment time: 10~ 60 mins
- Power consumption: 65W
- Each chamber can be partially skipped
- 4,6,8 chambers available

**FO3001B**  
(Manual)



  
Waist

  
Convenient one-touch sleeve

  
Arm

  
Use various cuffs according to user's area

**Sequential compression devices (SCDs)**


**Specifications:**


- Device size: 24cm\*20.5cm\*20cm
- Massage mode: therapy mode
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins/always on
- Power consumption: 65W


A Massage Modes



**FO3001B**  
(Digital)



  
Set pressure and time

  
Skip function

**Specifications:**

- Device size: 24cm\*20.5cm\*20cm
- Massage mode: 6 modes
- Pressure range: 30 ~ 250 mmHg
- Treatment time: 10~ 60 mins
- Power consumption: 65W
- Each chamber can be partially skipped
- 4,6,8 chambers available

**FO3006-FO3008**  
(Manual)



  
Convenient handle design


  
Color Choose


**Home use**


**Specifications:**

- Device size: 24cm\*20cm\*11cm
- Massage mode: 6 modes
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins/always on
- Power consumption: 65W

**FO3006-FO3008**  
(Digital)



  
Use various cuffs according to user's area

  
Care for your choice of foot/calf/knee/thigh

**Specifications:**

- Device size: 24cm\*20cm\*11cm
- Massage mode: 3 modes
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins
- Power consumption: 65W
- Each chamber can be partially skipped

## High-end Digital Air Compression Massage Machine

6/8 Chamber Available, 6 Massage Modes, Skip Function  
Designed for Athlete's Performance & Recovery Based on Scientific Studies



**FO3001C**



### SPECIFICATIONS

- Device size: 31cm\*16.5cm\*11cm
- Massage mode: 6 modes
- Pressure range: 30 ~ 250 mmHg
- Treatment time: 10~60 mins
- Power consumption: 65W
- Each chamber can be partially skipped

## Air Compression Recovery System with Rechargeable Battery

4/6/8 Chambers Available, 5 Massage Modes  
Optimize Your Performance, 2600mA

**FO3002**



### SPECIFICATIONS

- Device size: 24cm\*20.5cm\*20cm
- Massage mode: 5 modes
- Pressure range: 30 ~ 250 mmHg
- Treatment time: 10~ 60 mins
- Power consumption: 65W
- Each chamber can be partially skipped
- Battery: 2600mA/spec

## Features and Benefits

Compression therapy increases blood flow to specific parts of the body, accelerating its natural mechanisms for delivering oxygen, nutrients, and hormones throughout the body while simultaneously removing metabolic waste. When this process is optimized, the body can speed up muscle recovery, relieve pain and inflammation, and improve athletic performance.

**NEW**

## Potable Sport with Rechargeable Battery

6/8 Chambers Available, 5 Massage Modes  
Chamber Skip Function, CE, FDA, 510K Certificate

**FO3002B**



### SPECIFICATIONS

- Device size: 25.5cm\*13.5cm\*10cm
- Massage mode: 5 modes
- Pressure range: 30 ~250 mmHg
- Treatment time: 10~60 mins
- Input: DC 15V/5200mA
- Each chamber can be partially skipped

### How can Compression Boots help ?

- Pregnant and wish to decrease fluid build up in the legs. This is particularly problematic for ladies in their third trimester
- Weekend warriors and athletes who have been training hard and have sore legs
- People who are on their feet all day and have tired/sore legs
- Those who sit at a desk all day and have fluid build up or poor circulation in their legs
- Runners, cyclists, swimmers or crossfitters who are trying to freshen their legs prior to an event or race

**NEW**

## Recovery System Compression Recovery Boots

6/8 Chambers Available, 5 Massage Modes  
Chamber Skip Function, CE, FDA, 510K Certificate



**FO3002C**



### SPECIFICATIONS

- Device size: 27cm\*13cm\*10cm
- Massage mode: 5 modes
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins
- Input: DC 15V/5200mA
- Each chamber can be partially skipped

### Advantages

- Lessen pain sensitivity. Therefore accelerating recovery by reducing muscle soreness from pressure stimuli
- Clear metabolites Passively,compression significantly lower blood lactate levels
- Assist with a positive adaptive response to exercise
- Decreases Muscle Fatigue After Exercise. Increases Flexibility and skeletal muscle oxidative stress during recovery from heavy resistance training
- Increased Range of Motion. enhances acute range of motion with less discomfort and time


**NEW** Therapy System with **high-end custom Bluetooth**

LCD touch screen  
 Available for the visually impaired, set voice prompts, customizable special keyboard  
 System can be updated and upgraded for continuous access to the latest features

**SPECIFICATIONS**

- Device size: 27cm\*13cm\*10cm
- Massage mode: 5 modes
- Pressure range: 30~250 mmHg
- Treatment time: 10~60 mins
- Input: DC 15V/5200mA
- Each chamber can be partially skipped

**FO3003**



**NEW** Digital Hand Recovery System

**Advantages**

- Touch LCD Display
- World voltage capable external 12V 1.2A power supply
- Rugged construction of all components makes for easy travel
- Cuffs are made with durable, lightweight, high-quality nylon TPU
- Control Unit is light (weighs just 1kg) and fits in your hand (9" H x 5" W x 4" D)
- Rechargeable battery for up to 2-4 hours of use.
- Low battery alarm



**NEW** FO3002 mini



**Calf Wireless Mini Massager:**

- Model No: FO3002min
- Specification Weight: 400g
- Cycle Mode: F1, F2, F3
- Rated voltage: 3.7V
- Rated power: 5W
- Battery capacity: 2500mAH polymer lithium battery
- Charging mode: type-C
- Leg strap size : 600X350X2.5MM
- Main Device Size: 14\*7\*2.5mm
- Optional Pressure : 60/80/99mmHg
- Heat temperature: 45°C-55°C
- Noise Level: Below 55 dBA
- Input voltage DC5V/1500-2000 mA
- Device Life: 3 years
- Warranty: 1year
- packing : by gift box
- Gift Box : 360\*160\*70MM
- Carton Box : 380\*340\*380MM;10pcs per carton;5800pcs for 20ft, 13870 for 40HQ
- Certificate: ISO ,FDA



# Blood Pressure Monitor



# Digital Upper Arm BP Monitor

## HFA28-1

3.5 inch screen



Large Display



2x99 Memory Storage



Smart Pressure



WHO Standards

### SPECIFICATIONS

- Display : LCD Digital Display
- Measurement Method : oscillometric method
- Measuring Range : static pressure 0 ~ 250 mmHg(0~33.33KPa)
- Pulse : 30~200 beats/min, ±5% of reading
- Static Pressure : ±3mmHg(±0.4KPa)
- Battery : 1.5V 4 "AA" batteries
- Product Dimension : 135mm \* 115mm \* 83mm
- Battery Life : Approx. 300 uses with 4 new alkaline batteries

### OPTIONAL

- Backlight:  3 colors Backlight
- 1 color Backlight
- No Backlight

### Package content

Box size (mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
130x95x174	495x277x365	20	10.7/11.06



# Air pump for Alternating Pressure Mattress System

**HF806**



	HF62012	HF-A	HF605	HF602	HF6P01
<b>Size</b>	23.5* 13* 9.5cm	22.5*10.5*7.5cm	20.1*10.4*7.2cm	23.5* 13* 9.5cm	29*12*10cm
<b>Weight</b>	0.8kg	0.8kg	0.8kg	0.8kg	1.1kg
<b>Alternate mode</b>	AB/ABC	AB/ABC	AB	AB/ABC	AB
<b>Air output</b>	5-7L/min	5-7L/min	5-7L/min	5-7L/min	6-8 L/min
<b>Air pump</b>	Plastic	Plastic	Plastic	Plastic	Aluminium
<b>Static mode</b>	-	-	-	-	Optional



	HF601	HF608	HF609	HF808	HF806
<b>Size</b>	27.3*23.5*9cm	27.3*23.5*9cm	27.3*23.5*9cm	28*10*16.5cm	34.5*19*14.5cm
<b>Weight</b>	1.3kg	1.3kg	1.3kg	1.5kg	2.2kg
<b>Alternate mode</b>	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D; R	AB/ABC/AB-D
<b>Air output</b>	6-8L/min	6-8L/min	6-8L/min	6-8L/min	12-14L/min
<b>Air pump</b>	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium*2
<b>Static mode</b>	-	yes	yes	yes	yes
<b>Quick connector</b>	yes	yes	yes	yes	yes
<b>Alarm</b>	yes	yes	yes	yes	yes
<b>Auto KG/Cycle time</b>	-	-	yes	yes	yes
<b>Seat inflate mode</b>	-	-	yes	yes	yes